

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date 01st June 2021  
Revision date 30th August 2024 Version 1.3

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Talc  
Substance / mixture substance  
Chemical name talc (Mg<sub>3</sub>H<sub>2</sub>(SiO<sub>3</sub>)<sub>4</sub>)  
CAS number 14807-96-6  
EC (EINECS) number 238-877-9  
Registration number -----

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against Substance's intended use

Functional mineral for use in paper, paints, ceramics, plastics. Ingredient for cosmetics.

#### Substance uses advised against

---

#### 1.3. Details of the supplier of the safety data sheet

##### Distributor

Name or trade name Macco Organiques, s.r.o.  
Address Zahradní 1938/46c, Bruntál 1, 792 01  
Czech Republic  
Identification number (CRN) 26819210  
VAT Reg No CZ26819210  
Phone +420 555 530 300  
E-mail macco@macco.cz

##### Competent person responsible for the safety data sheet

Name Petr Ševčík  
E-mail petr.sevcik@macco.cz

#### 1.4. Emergency telephone number

European emergency number: 112

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification of the substance in accordance with Regulation (EC) No 1272/2008

The substance is not classified as dangerous according to Regulation (EC) No 1272/2008.

##### Most serious adverse physico-chemical effects

Handle with care, avoid dust formation.

##### Most serious adverse effects on human health and the environment

Not specified.

#### 2.2. Label elements

##### Signal word

none

#### 2.3. Other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Substance does not meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

##### Chemical characterization

The substance specified below.

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 14807-96-6 EC: 238-877-9 Registration number: -----	<b>substance main component</b> talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	>85	not classified as dangerous	

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date 01st June 2021  
Revision date 30th August 2024 Version 1.3

Identification numbers	Substance name	Content in % weight	Classification according to Regulation (EC) No 1272/2008	Note
CAS: 1318-59-8 EC: 215-285-9	Chlorite	<9	not classified as dangerous	
CAS: 16389-88-1 EC: 240-440-2	dolomite	<5	not classified as dangerous	
CAS: 13717-00-5 EC: 604-004-9	magnesite	<2	not classified as dangerous	
CAS: 14808-60-7 EC: 238-878-4	quartz (SiO <sub>2</sub> )	<1.1	STOT RE 2, H373	

Full text of all classifications and hazard statements is given in the section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Take care of your own safety. In the event of unconsciousness, do not provide food by mouth. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

##### If inhaled

Transfer the affected person to the fresh air and ensure calm environment for body and mind. In the event of issues, find medical advice.

##### If on skin

Remove contaminated clothes. And wash it before reuse.

##### If in eyes

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. No neutralization should be performed in any case! Provide medical treatment, specialized if possible.

##### If swallowed

Rinse out the mouth with clean water. In the event of issues, find medical help.

#### 4.2. Most important symptoms and effects, both acute and delayed

##### If inhaled

Symptoms of acute accidental exposure may be non-specific and are similar to those of a massive inhalation of any dust without toxic effects. These symptoms may include coughing, expectoration, sneezing, and difficulty in breathing due to upper respiratory tract irritation.

##### If on skin

Not expected.

##### If in eyes

Not expected.

##### If swallowed

Not expected.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Symptomatic treatment.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist. Accommodate extinguishing components to the location of fire.

##### Unsuitable extinguishing media

Water - full jet.

#### 5.2. Special hazards arising from the substance or mixture

Non-flammable. Non-explosive. No hazardous thermal decomposition.

#### 5.3. Advice for firefighters

Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves. Use a self-contained breathing apparatus and full-body protective clothing.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date 01st June 2021  
Revision date 30th August 2024 Version 1.3

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Provide sufficient ventilation. Follow the instructions in the Sections 7 and 8.

#### 6.2. Environmental precautions

Prevent contamination of the soil and entering surface or ground water.

#### 6.3. Methods and material for containment and cleaning up

Place the spilled product mechanically in the properly closed containers and dispose of it according to the section 13. Washing the floor with water is not recommended as the floor may become slippery. However, if the talc is on an already wet floor, rinse it thoroughly with water to completely remove slipperiness.

#### 6.4. Reference to other sections

See the Section 7, 8 and 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Prevent formation of dust in concentrations exceeding the occupational exposure limits. Use only outdoors or in a well-ventilated area. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

#### 7.3. Specific end use(s)

not available

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Not specified.

##### DNEL

talc (Mg3H2(SiO3)4)			
Workers / consumers	Route of exposure	Value	Effect
Workers	Inhalation	2.16 mg/m <sup>3</sup>	Chronic effects systemic
Workers	Inhalation	2.16 mg/m <sup>3</sup>	Acute effects systemic
Workers	Inhalation	3.6 mg/m <sup>3</sup>	Chronic effects local
Workers	Inhalation	3.6 mg/m <sup>3</sup>	Acute effects local
Workers	Dermal	43.2 mg/kg bw/day	Chronic effects systemic
Workers	Dermal	4.54 mg/cm <sup>2</sup>	Chronic effects local
Consumers	Inhalation	1.08 mg/m <sup>3</sup>	Chronic effects systemic
Consumers	Inhalation	1.08 mg/m <sup>3</sup>	Acute effects systemic
Consumers	Inhalation	1.8 mg/m <sup>3</sup>	Chronic effects local
Consumers	Inhalation	1.8 mg/m <sup>3</sup>	Acute effects local
Consumers	Dermal	21.6 mg/kg bw/day	Chronic effects systemic
Consumers	Dermal	2.27 mg/cm <sup>2</sup>	Chronic effects local
Consumers	Oral	160 mg/kg bw/day	Chronic effects systemic
Consumers	Oral	160 mg/kg bw/day	Acute effects systemic

##### PNEC

talc (Mg3H2(SiO3)4)	
Route of exposure	Value
Freshwater environment	597.97 mg/l
Water (intermittent release)	597.97 mg/l
Marine water	141.26 mg/l
Water (intermittent release)	141.26 mg/l

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date 01st June 2021  
Revision date 30th August 2024 Version 1.3

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )	
Route of exposure	Value
Freshwater sediment	31.33 mg/kg of dry substance of sediment
Sea sediments	3.13 mg/kg of dry substance of sediment
Air	10 mg/m <sup>3</sup>

### 8.2. Exposure controls

Follow the usual measures intended for health protection at work and especially for good ventilation. This can be achieved only by local suction or efficient general ventilation. If exposure limits cannot be observed in this mode, suitable protection of airways must be used. Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest. Provide showers and eye wash possibility.

#### Eye/face protection

Protective goggles or face shield (based on the nature of the work performed).

#### Skin protection

When handling in long-term or repeatedly, use protective gloves. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection. Use a mask with anti-dust filter when the exposition limits of the substances are exceeded or at the place with insufficient ventilation. Respirator.

#### Thermal hazard

Not available.

#### Environmental exposure controls

Observe usual measures for protection of the environment, see Section 6.2.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	solid
Colour	white, grey
color intensity	light
Odour	without fragrance
Melting point/freezing point	>1300 °C
talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> ) (CAS: 14807-96-6)	1500 °C
Boiling point or initial boiling point and boiling range	cannot be determined - decomposition occurs
Flammability	non-flammable
Lower and upper explosion limit	not applicable
Flash point	not applicable
Auto-ignition temperature	not applicable
Decomposition temperature	>1000 °C
pH	9-9.5 (10% solution at 20 °C)
Kinematic viscosity	not applicable
Solubility in water	data not available
talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> ) (CAS: 14807-96-6)	insoluble
Partition coefficient n-octanol/water (log value)	data not available
talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> ) (CAS: 14807-96-6)	-9.4 (QSAR)
Vapour pressure	data not available
Density and/or relative density	
Density	2.58 - 2.83 g/cm <sup>3</sup> at 20 °C
talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> ) (CAS: 14807-96-6)	2.7 g/cm <sup>3</sup> at 20 °C
Relative vapour density	data not available
Particle characteristics	data not available
Form	solid: particulate/powder, powder

### 9.2. Other information

Oxidising properties The product has no oxidizing properties.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date 01st June 2021  
Revision date 30th August 2024 Version 1.3

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The substance is non-flammable.

#### 10.2. Chemical stability

The product is stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Unknown.

#### 10.4. Conditions to avoid

The product is stable and no degradation occurs under normal use.

#### 10.5. Incompatible materials

---

#### 10.6. Hazardous decomposition products

Not developed under normal uses.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

No toxicological data is available for the substance.

#### Acute toxicity

Based on available data the classification criteria are not met.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )						
Route of exposure	Parameter	Method	Value	Exposure time	Species	Sex
Oral	LD <sub>50</sub>	OECD 423	>5000 mg/kg bw		Rat (Rattus norvegicus)	M
Inhalation (aerosols)	LC <sub>50</sub>	EU B.2	>2100 mg/m <sup>3</sup> of air	4 hours	Rat	F/M
Dermal	LD <sub>50</sub>	OECD 402	>2000 mg/kg bw	24 hours	Rat (Rattus norvegicus)	F/M

#### Skin corrosion/irritation

Based on available data the classification criteria are not met.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )				
Route of exposure	Result	Method	Exposure time	Species
Skin	Not irritating	EU B.46	15 minutes	Human

#### Serious eye damage/irritation

Based on available data the classification criteria are not met.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )				
Route of exposure	Result	Method	Exposure time	Species
Eye	Not irritating	OECD 405	72 hours	Rabbit

#### Respiratory or skin sensitisation

Based on available data the classification criteria are not met.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )					
Route of exposure	Result	Method	Exposure time	Species	Sex
Inhalation (dust/mist)	Not sensitizing		3-9 months (5 days/week, 3-5 hour/day)	Rat (Rattus norvegicus)	M
Dermal	Not sensitizing	OECD 406	24 hours	Pig	F

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date 01st June 2021  
Revision date 30th August 2024 Version 1.3

### Germ cell mutagenicity

Based on available data the classification criteria are not met.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )					
Result	Method	Exposure time	Specific target organ	Species	Sex
Negative	OECD 473	48 hours		Rat (Rattus norvegicus)	M

### Carcinogenicity

Based on available data the classification criteria are not met.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )							
Route of exposure	Parameter	Method	Value	Exposure time	Result	Species	Sex
Oral	NOAEL	OECD 453	100 mg/kg bw/day	101 days (7 days/week)	No effect	Rat (Rattus norvegicus)	F/M
Inhalation	NOAEC		18 mg/m <sup>3</sup> of air	103-104 weeks (6 hour/day, 5 days/week)	No effect	Mouse	F/M

### Reproductive toxicity

Based on available data the classification criteria are not met.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )							
Effect	Parameter	Method	Value	Exposure time	Result	Species	Sex
Maternal toxicity	NOAEL (P/F <sub>1</sub> )	OECD 416	>900 mg/kg bw/day	12 days (7 days/week)	No effect	Rabbit	F
Developmental toxicity	NOAEL		1600 mg/kg bw/day	20 days (7 days/week)	No effect, Negative	Rat (Rattus norvegicus)	F

### Toxicity for specific target organ - single exposure

No data available for the substance. Based on available data the classification criteria are not met.

### Toxicity for specific target organ - repeated exposure

Based on available data the classification criteria are not met.

### Repeated dose toxicity

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )							
Route of exposure	Parameter	Result	Method	Value	Exposure time	Species	Sex
Oral	NOAEL	No effect	OECD 452	100 mg/kg bw/day	101 days (7 days/week)	Rat (Rattus norvegicus)	F/M
Inhalation (aerosols)	NOAEC		OECD 452	10.8 mg/m <sup>3</sup> of air	12 months (5 days/week, 7,5 hour/day)	Rat (Rattus norvegicus)	F/M

### Aspiration hazard

No data available for the substance. Based on available data the classification criteria are not met.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date 01st June 2021  
Revision date 30th August 2024 Version 1.3

### 11.2. Information on other hazards

The substance does not have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data the classification criteria are not met.

#### Acute toxicity

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )						
Parameter	Value	Exposure time	Species	Environment	Value determination	Source
LC <sub>50</sub>	89581 mg/l	96 hours	Fish (Oncorhynchus mykiss)	Fresh water	QSAR	ECHA
LC <sub>50</sub>	110000 mg/l	96 hours	Fish	Salt water	QSAR	ECHA
LC <sub>50</sub>	36812 mg/l	48 hours	Crustaceans	Fresh water	QSAR	ECHA
LC <sub>50</sub>	3681 mg/l	48 hours	Crustaceans	Salt water	QSAR	ECHA
LC <sub>50</sub>	7202.7 mg/l	96 hours	Algae	Fresh water	Calculation of value	ECHA
LC <sub>50</sub>	720.27 mg/l	96 hours	Algae	Salt water	Calculation of value	ECHA

#### Chronic toxicity

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )						
Parameter	Value	Exposure time	Species	Environment	Value determination	Source
NOEC	5980 mg/l	30 days	Fish	Fresh water	QSAR	ECHA
NOEC	1413 mg/l	30 days	Fish	Salt water	QSAR	ECHA
NOEC	1460 mg/l	30 days	Aquatic invertebrates	Fresh water	QSAR	ECHA
NOEC	146 mg/l	30 days	Aquatic invertebrates	Salt water	QSAR	ECHA

### 12.2. Persistence and degradability

No data available for the substance.

### 12.3. Bioaccumulative potential

The following data are available.

talc (Mg <sub>3</sub> H <sub>2</sub> (SiO <sub>3</sub> ) <sub>4</sub> )							
Parameter	Value	Exposure time	Species	Environment	Temperature [°C]	Value determination	Source
BCF	3.162 l/kg		Fish	Fresh water		QSAR	ECHA

### 12.4. Mobility in soil

No data available for the substance.

### 12.5. Results of PBT and vPvB assessment

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms as it does not meet the criteria set out in section B of Regulation (EU) No 2017/2100.

### 12.7. Other adverse effects

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date	01st June 2021	Version	1.3
Revision date	30th August 2024		

Not available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

#### Waste management legislation

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

#### Waste type code

06 03 14 solid salts and solutions other than those mentioned in 06 03 11 and 06 03 13

#### Packaging waste type code

06 03 00 wastes from the MFSU of salts and their solutions and metallic oxides

### SECTION 14: Transport information

#### 14.1. UN number or ID number

not subject to transport regulations

#### 14.2. UN proper shipping name

not relevant

#### 14.3. Transport hazard class(es)

not relevant

#### 14.4. Packing group

not relevant

#### 14.5. Environmental hazards

not relevant

#### 14.6. Special precautions for user

Reference in the Sections 4 to 8.

#### 14.7. Maritime transport in bulk according to IMO instruments

not relevant

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

Not available. Exempted from REACH registration in accordance with Annex V.7.

#### More information

Industrial Safety and Health Law: This product does not contain harmful or controlled hazardous substances under ISHL. Contains <1% silica.

Toxic Chemical Control Act: This product does not contain chemical substances regulated as toxic, observational, restricted or banned under TCCA.

Dangerous Substance Management Law: This product does not contain chemical substances regulated under DSML.

Waste Management Law: Ensure product is disposed of in accordance with the waste treatment standards prescribed in Waste Management Law.

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date	01st June 2021	Version	1.3
Revision date	30th August 2024		

### SECTION 16: Other information

#### A list of standard risk phrases used in the safety data sheet

H373 May cause damage to organs through prolonged or repeated exposure.

#### Other important information about human health protection

The user is responsible for adherence to all related health protection regulations.

#### Key to abbreviations and acronyms used in the safety data sheet

ADR	European agreement concerning the international carriage of dangerous goods by road
BCF	Bioconcentration Factor
CAS	Chemical Abstracts Service
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures
EC	Identification code for each substance listed in EINECS
EINECS	European Inventory of Existing Commercial Chemical Substances
EmS	Emergency plan
EU	European Union
EuPCS	European Product Categorisation System
IATA	International Air Transport Association
IBC	International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Organization
INCI	International Nomenclature of Cosmetic Ingredients
ISO	International Organization for Standardization
IUPAC	International Union of Pure and Applied Chemistry
LC <sub>50</sub>	Lethal concentration of a substance in which it can be expected death of 50% of the population
LD <sub>50</sub>	Lethal dose of a substance in which it can be expected death of 50% of the population
log K <sub>ow</sub>	Octanol-water partition coefficient
NOAEC	No observed adverse effect concentration
NOAEL	No observed adverse effect level
NOEC	No observed effect concentration
OEL	Occupational Exposure Limits
PBT	Persistent, bioaccumulative and toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Agreement on the transport of dangerous goods by rail
STOT RE	Specific target organ toxicity - repeated exposure
UN	Four-figure identification number of the substance or article taken from the UN Model Regulations
UVCB	Substances of unknown or variable composition, complex reaction products or biological materials
VOC	Volatile organic compounds
vPvB	Very persistent and very bioaccumulative

#### Training guidelines

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

#### Recommended restrictions of use

not available

#### Information about data sources used to compile the Safety Data Sheet

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

#### The changes (which information has been added, deleted or modified)

# SAFETY DATA SHEET



according to Regulation (EC) No 1907/2006 (REACH) as amended

## Talc

Creation date	01st June 2021	Version	1.3
Revision date	30th August 2024		

The version 1.3 replaces the SDS version from Monday, 4 September 2023. Changes were made in sections 1, 8, 11, 12 and 16.

### Statement

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.